




















19 RETRACTABLE PATIO & DECK PERGOLA COVER & 1 ROTATING LOUVER SYSTEM SIDE BY SIDE MODEL COMPARISON - ALPHABETIZED BY MODEL

| ATTRIBUTE → MODEL NAME (Alphabetized) ↓ | Complete Unit | Close up of gutter, guide, post etc. | Maximum Width Per Unit Per Specification | Maximum Projection Per Unit Per Specification | Design type (Model description) | Free standing option available Yes, no or standard | Gutter location | Built in gutter | Frame Construction - Aluminum, Meridian, treated pine | Single guide or double guide | Angled with drainage OR flat drainage with side water drainage | Mounting Type Wall or soffit or free standing or wall to wall | Left or right side OR alternating water drainage | Gable end cover's available with surcharge | Loose cover or cover with surcharge | Sun, heavy rain and hail protection | Terni vertical drop screens / awnings available |
|--|---------------|---|--|--|---|---|---|---|---|---------------------------------|--|---|---|--|---|---|---|
| Amsterdam | | | 19' 8 1/4" or 600cm | 13' 1/2" or 400cm | Amsterdam sun-shading system operates from two motors that drive the system. The fabric is constructed at an angle in order to allow water to run off | Yes | Not Applicable | No | Aluminum | Single | Angled only | Wall or soffit or freestanding | No | No | Not Applicable | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Bergamo | | | 42' 7" or 1300cm | 21' 3" or 650cm | Standard design with built in invisible gutter and downspouts and recessed invisible, pocket installed vertical drop screens (Terni F model). Available Spring/Summer 2017 | Yes | Gutter mounted behind post | Yes | Aluminum | Single | Flat or angled | Wall or soffit or freestanding | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Bioclimatique | | | 10'3" or 312 cm louver size | 33'4" or 1016 cm per bay | Rotating louver system for heavy rain, hail, hurricane force winds and snow load. | Yes | Perimeter | Yes | Aluminum | Not applicable | Flat or angled | Wall or soffit or free standing or wall to wall | Not applicable | Not applicable | Not applicable | Sun/Heavy Rain/Hail | Yes |
| Bolzano | | | 42' 7" or 1300cm | 29'6" or 900cm | Standard design with built in invisible gutter and downspouts and recessed invisible, pocket installed vertical drop screens (Terni F model). Available Spring/Summer 2017 | Yes | Gutter mounted behind post | Yes | Aluminum | Single | Flat or angled | Wall or soffit | Yes | Yes | No | Sun/Heavy Rain/Hail | Yes |
| Campagna | | | 18'0" or 550cm | 22'11" or 700cm | Four post systems - Free standing or attached with optional, invisible pocket installed Terni F vertical drop screens. Invisible gutters & invisible downspouts for drainage. Only flat systems available. Multiple units can be butted side by side or front to back to cover unlimited sizes. Not available with a pitch & therefore no front water drainage. Must be motorized in all sizes. | Yes | Left and right with invisible water drainage through downspouts | Yes | Aluminum | Not applicable | Flat ONLY with drainage through invisible downspouts | Free standing or attached | No | Not applicable | No | Sun/Heavy Rain/Hail | Only pocket installed Terni F available |
| Ferrara | | | 42' 7" or 1300cm | 22'11" or 700cm | Linear design with built in invisible gutter and downspouts | Yes | Gutter mounted inline with post | Yes | Aluminum | Double | Flat or angled | Wall or soffit or freestanding | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Firenze | | | 42' 7" or 1300cm | 26'2" or 800cm | Standard design. Fabric & guides only - no posts. Used to attach to an existing or new pergola, trellis or between walls | No | Exterior visible gutter and downpipe available & attached to the post | No | Aluminum | Single | Flat or angled | Attached to existing or new pergola / trellis or pergola / trellis type structure | Yes | Not applicable | Loose or V | Sun/Heavy Rain/Hail | No |
| Firenze PLUS | | | 42' 7" or 1300cm | 18'0" or 550cm | Standard design. Original model with posts. Optional visible, external downpipe available | No | Exterior visible gutter and downpipe available & attached to the post | No | Aluminum | Single | Flat or angled | Wall or soffit | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Only Terni D version with SA (for front) and SB for sides |
| Forli | | | 22'11" or 700cm | 32'9" or 1000cm | Four OR six post system with left or right water drainage or alternating water drainage. Only flat systems available. Motorization is required. Only available free standing. Posts can be anywhere between 40cm and 120cm from the end of the unit | Standard | None since water drains to one side or both sides | No since water drains from fabric side or sides | Aluminum | Single | Flat ONLY | Free standing only | Yes | Not applicable | V is standard. No surcharge | Sun/Heavy Rain/Hail | No |
| Milan | | | 29'6" or 900cm | 36'0" or 1100cm | Retractable sail operation with 90 degree posts. Free standing system only. No counterweight needed. Designed for sun, UV, glare protection but not rain or hail. Two motors are required. Must be motorized. Four different style options available for the roller tube and sails.. Available Spring 2017 | Standard | Not applicable | Not applicable | Aluminum | Not applicable | Not applicable | Free standing only | Not applicable | Not applicable | Not applicable | Sun only | No |

19 RETRACTABLE PATIO & DECK PERGOLA COVER & 1 ROTATING LOUVER SYSTEM SIDE BY SIDE MODEL COMPARISON - ALPHABETIZED BY MODEL

| ATTRIBUTE → MODEL NAME (Alphabetized) ↓ | Complete Unit | Close up of gutter, guide, post etc. | Maximum Width Per Unit Per Specification | Maximum Projection Per Unit Per Specification | Design Type (Model description) | Free standing option available Yes, no or standard | Gutter location | Built In gutter | Frame Construction - Aluminum, Nordic lamellar, treated pine | Single guide or Double Guide | Angled with drainage OR flat with side water drainage | Mounting Type: Wall or soffit or wall to wall | Left or right side alternating water drainage | Gable end covers available with surcharge | Loose cover or V cover with surcharge | Sun, heavy rain and hail protection | Terril vertical drop awnings / screens available |
|--|---|---|--|--|---|---|---|---------------------|---|---------------------------------|--|---|---|---|---|---|---|
| Monza |  |  | 42'7" or 1300cm | 26'2" or 800cm | Standard design with optional exterior downpipe | No | Exterior visible gutter and downpipe available & attached to the post | No | Nordic Lamellar treated pine | Double | Flat or angled | Wall or soffit | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Monza PLUS |  |  | 42' 7" or 1300cm | 22'11" or 700cm | Standard design with built in gutter and built in downspouts | Yes | Gutter mounted inline with post | Yes | Nordic Lamellar treated pine with aluminum | Double | Flat or angled | Wall or soffit | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Naples |  |  | 29'6" or 900cm | 36'0" or 1100cm | Retractable sail operation with angled posts. Free standing system only. No counterweight needed. Designed for sun, UV, glare protection but not rain or hail. Two motors are required. Must be motorized. Two different style options available for the roller tube and sails. Available Spring 2017 | Standard | Not applicable | Not applicable | Aluminum | Not applicable | Not applicable | Free standing only | Not applicable | Not applicable | Not applicable | Sun only | Not applicable |
| Perugia |  |  | Unlimited using either 5' or 10' wide panels | Unlimited. Above 40' subject to engineering approval | Retractable slide on wire / guide wire system for sun, glare, UV and heat protection. This model is not for rain protection | Yes, if included inside a free standing structure such as a pergola or trellis | Not applicable | Not applicable | Aluminum panel extrusions. Stainless steel aircraft cable and components | Not applicable | Not applicable | Inside a pergola or any rectangular framing system or wall to wall or wall to post or soffit or beam to beam or free standing | Not applicable | Not applicable | Not applicable | Sun only | Not applicable |
| Piacenza |  |  | 18'0" or 550cm | 22'11" or 700cm | Four post systems - Free standing or attached with optional, invisible pocket installed Terni F vertical drop screens. Invisible gutters & invisible downspouts for drainage. Only flat systems available. Multiple units can be butted side by side or front to back to cover unlimited sizes. Not available with a pitch & therefore no front water drainage. Must be motorized in all sizes. | Yes | Left and right with invisible water drainage through downspouts | Yes | Aluminum | Not applicable | Flat ONLY with drainage through invisible downspouts | Free standing or attached | No | Not applicable | No | Sun/Heavy Rain/Hail | Only pocket installed Terni F available |
| Ravenna |  |  | 42' 7" or 1300cm | 22'11" or 700cm | Architect designed. Modern design. Adjustable post angle | Yes | Gutter mounted behind post | Yes | Aluminum | Double | Flat or angled | Wall or soffit or freestanding | Yes | No | Loose or V | Sun/Heavy Rain/Hail | No |
| Rimini |  |  | 42' 7" or 1300cm | 29'6" or 900cm | Fabric & guides only - no posts. Used to attach to a new or existing pergola OR wall to wall | No | No gutter available | No | Aluminum | Single | Flat or angled | Wall to wall OR attached to existing or new pergola / trellis or pergola / trellis type structure or between walls | Yes | Not applicable | Loose or V | Sun/Heavy Rain/Hail | No |
| Salerno |  |  | 42' 7" or 1300cm | 21'3" or 650cm | Standard design with built in gutter and downspouts | Yes | Gutter mounted inline with post | Yes | Aluminum | Single | Flat or angled | Wall or soffit or freestanding | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Sassari |  |  | 42' 7" or 1300cm | 29'6" or 900cm | Far east inspired design with built in gutter and downspouts | Yes | Gutter mounted inline with post | Yes | Aluminum | Single | Flat or angled | Wall or soffit or freestanding | Yes | Yes | Loose or V | Sun/Heavy Rain/Hail | Yes all Terni types available |
| Siracusa |  |  | 42' 7" or 1300cm | 29'6" or 900cm | Modern contemporary design with built in gutter and downspouts | Yes | Gutter is behind the post | No, as an option | Aluminum | Single | Flat or angled | Wall or soffit or freestanding | Yes | No | Loose or V | Sun/Heavy Rain/Hail | No |

